



Accessories





26 27



28 29

Accessories

TH. WITT Kältemaschinenfabrik offers a range of high quality service components for easy and safe installation on site. These components have been designed as a result of our extensive contracting experience, facilitate installation, reduce cost and increase work safety.

Valves

1. 4111.AA2K7F-EA 10 GB/D-VA
2. 4111.AA2K1F-EA 10 GB-VA
3. 4111.AA2KAF-EA 10 GN-VA
4. 4111.AA2K3F-EA 10 GB/L-VA
5. 4111.AA2BQF-EA 10 GÜ/GB*
6. 4111.AA2AOF-EA 10 S*
7. 4111.AA2ANF-EA 10 S/L*
8. 4111.AA2B1F-EA 10 GB*
9. 4111.AA2B3F-EA 10 GB/L*
10. 4111.AA2BAF-EA 10 GN*

Accessories for Valves

11. 6436.ABOD00-blank nut end G1/2"-VA
12. 6434.AHD000-connection nipple G1/2"-steel
13. 6434.AFD000-connection nipple G1/2"-VA
14. 5632.1A9AHK-flat joint 10/18x2
15. 6436.ACOD00-swivel nut G1/2"-VA
16. 6424.AH0001-welding nipple 6/13-steel
17. 6424.AF0001-welding nipple 8/13-VA

Pressure Gauge Device Holde

18. 4591.000007-Typ A-G1/2"***
19. 4591.000008-Typ B-G1/2"***
20. 4591.000009-Typ C-G1/2"/W21,8x1/14**
21. 4591.000010-Typ D-G1/2"***
22. 4591.000014-Typ E-G1/2"/W21,8x1/14
23. 4591.000011-Typ A-G1/2"-VA
24. 4419.000001-Typ T-G1/2"-VA
25. 4591.000100-Typ GEV-G1/2"-VA

Suction Manometer

26. NH₃-4541.000001-12,5 bar
27. NH₃-4541.000003-25,0 bar

Difference Pressure Manometer

28. 4541.000000/1-25 bar-NH₃
29. 4541.000401/1-40 bar-CO₂

* painted; ** incl. flat joint 10/18x2

Sight Glasses

30. 4551.AA3100-plain sight glass-VA
31. 4551.AA3200-grooved sight glass-VA
32. 4551.AA3101-plain sight glass-VA-extended
33. 4551.AA3201-grooved sight glass-VA-extended
34. 4551.AH3100-flow sight glass-VA***
35. 4551.AG3001-conversion kit for extended sight glass-VA

Type of side connection

- S: 17,2x2,3 welding connection
- E: 10 x 1 welding connection ermeto
- G: G1/2" ext. thread
- B: blank nut end
- N: nut & nipple end
- G1": stud with int. thread G 1"
- GÜ: stud with ext. thread G1/4" and swivel nut
- GB: with ext. thread G 1/2"and blank nut end
- GB/D: with 2 x ext. thread G 1/2"and blank nut end
- VA: stainless steel

High quality refrigeration components

- Hermetic refrigerant pumps HRP
- Open refrigerant pumps GP
- High side float regulators HR/HS
- High side float regulators for heat pumps WP3HR up to 65 bar
- Maximum level switch NGX
- Automatic oil recovery BDP
- Economizer ECO
- Pumping stations
- Plate heat exchanger units PVS/PVE
- Standard-Separator-Evaporator-Assembly SAV
- NH₃/CO₂ Cascades
- Compact ECO Chiller WEC
- Stainless Steel Oil drain vessel HDB3



Lukasstraße 32
52070 Aachen, Germany
☎ +49 (0)2 41 1 82 08-0
📠 +49 (0)2 41 1 82 08-490

www.th-witt.com